


HiB

MAKING
BATHROOMS
BEAUTIFUL

**Technical Drawing &
FAQ Data Sheets**




Qubic 50
Qubic 60
Qubic 80
Qubic 120

HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate.
 HiB try and ensure all measurements are as accurate as possible.
 In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.


Qubic 50

Art no. 46400



Qubic 60

Art no. 46500



Electrical Safety Information

HiB recommends that all electrical bathroom products should only be fitted by a suitably qualified, Part P registered electrician in accordance with current IEE regulations.


Ensure mains power supply is switched off before starting installation.

Before drilling, ensure there are no hidden cables or pipes in the wall.

HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate.
 HiB try and ensure all measurements are as accurate as possible.
 In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.


Qubic 80

Art no. 46600



Qubic 120

Art no. 48000



Electrical Safety Information


HiB recommends that all electrical bathroom products should only be fitted by a suitably qualified, Part P registered electrician in accordance with current IEE regulations.

Ensure mains power supply is switched off before starting installation.

Before drilling, ensure there are no hidden cables or pipes in the wall.

Qubic

50, 60, 80 & 120

		Version No. 30.11.17
	Product	Qubic 50, Qubic 60, Qubic 80 & Qubic 120
	Art. No.	Qubic 50: 46400, Qubic 60: 46500, Qubic 80: 46600 & Qubic 120: 48000
	Product Description	LED colour temperature changing single/double/triple door cabinet with sensor switch, charging socket & soft close hinges.

Question	Answer
Nett weight (kg)	Qubic 50: 13.5 kg / Qubic 60: 16 kg / Qubic 80: 19.5 kg / Qubic 120: 31kg
Light Source	LED
Light Source Average Lifespan	Average: 20,000 hr
Total Rated Wattage (W)	Qubic 50: 20.7w / Qubic 60: 22.5w / Qubic 80: 22.5w / Qubic 120: 35.1w
Lumens (Lm)	Qubic 50: 1152 lm / Qubic 60: 1246 lm / Qubic 80: 1456lm / Qubic 120: 3276lm
Kelvins (k)	Qubic 50, 60, 80 & 120: 3000 - 6400k
Is the cabinet dimmable?	No
Energy Rating	Class A
Does the cabinet require an earth connection?	Yes
Can I bypass the sensor so the cabinet comes on with the main room light?	No
Is it cool white or warm white illumination?	Both - the cabinet is colour temperature changing
What IP rating is the cabinet?	All Qubic cabinets are IP44 rated
How long is the warranty?	5 years from date of purchase on silvering coating on mirror 2 years from date of purchase on electrical components in the mirror

Electrical Safety Information

HiB recommends that all electrical bathroom products should only be fitted by a suitably qualified, Part P registered electrician in accordance with current IEE regulations.

Ensure mains power supply is switched off before starting installation.

Before drilling, ensure there are no hidden cables or pipes in the wall.

HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate.

HiB try and ensure all measurements are as accurate as possible.

In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.

T: +44 (0)20 8441 0352 F: +44 (0)208441 0219 E: sales@hib.co.uk W: hib.co.uk

HiB Ltd. Building 3, North London Business Park, Oakleigh Road South, New Southgate, London. N11 1GN